GenISys
Advancing the Standard

BEAMER

Update – What‘s new / What‘s coming up

PEC

Improvement of T-gate PEC

The correction criteria has been adjusted to the bottom CD of the Tgate foot to ensure clearing of the resist (10% above the substrate interface).

This will change the correction results.





info

3D Settings:

3D Assignments:

Idx	Layer	Assignment	rel. Dose
0	1(0)	----------	0.4657
1	2(0)	----------	0.1306
2	0(0)	----------	1.0969
3	3(0)	----------	2.1938

Resist Process Time Factor (relative to contrast curve process of critical layer) = 1.0000

Equivalent Alpha[um]: 0.057, Equivalent Beta[um]: 2.512, Equivalent Eta : 1.145

Min. layout independent LR dose factor = 0.652

Number Doseclasses: 255

VIEWER

Pattern validation

GDS and DXF Import new feature:
Small elements with unintended design issues (gaps and slivers) can be detected and highlighted in viewing mode.





Additional *Layers* are created







Switch to Multi View Mode

BEAMER integrates a **Multi View Mode** allowing to visualise two results side by side





Zooming and **navigating** one layout **moves and adjusts** the second layout accordingly

Field / Feature sorting

Fields module – ManualSubfield mode

- The exposure order of critical regions within a Field are optimized using ManualSubfield
- The Control layer can be used to identify critical layout parts





Manual Subfield ordering

- **BEAMER** extends the writing field control down to the Subfield level using the ***Manual Subfield*** feature sorting, by applying a write sequence to the shapes within a subfield.







Meander X



Meander Y



Random

Field Sorting – SpiralOutwards

- **Spiral Outwards** has been added to the Write Sequence/ Fixed Field Traversal mode/ Field Sorting/ Fixed Field Traversal Type setting.





Fields module

New field sorting module – for advanced Region and field sorting applications

- The fields module can create field and region/ sub fields within a layout
- During the system specific export, the user makes use of this structure via cell to field / cell to SF



Python module

Python Module – GUI

- BEAMER expands the Python Module capabilities adding a Python GUI Scripting enabling easier and faster BEAMER-Python interaction







Python Module – GUI





LayoutPy Metalenses

- LayoutPy includes a simple example to create Metalenses for a desired wavelength and focal length and with optimised Field and Subfield ordering





Python Module

- **Python** module allows new **Folder** option for **Snippets**



Layout operation

REPLACE inherits dose from placeholder

REPLACE can now inherit the dose information of the element it is replacing and apply it to the input pattern.





DXF Shapes

DXF format increases its import settings to detect special shapes: *Circles, Rings, Arcs, Ellipses, Rotated Rectangles, Parallelograms and Generic Curves*











Filter module

Filter Module: Filter by PrimitiveType

New **PrimitiveType Attribute** for the **Filter** module

- Use the Attribute **PrimitiveType** to specify the desired element type
- **Operations** to match (==) or exclude (!=) specific primitive type
- **Value** to easily choose the element type



Layout (color by **Element type**)



== Circle

!= Curve



== Y Trapezoid



Usability

Log view

Improving **Log view**

- Selected module can be viewed separately by “**Show selected**”





„**Show selected**“ option for selected module

Properties dialog



A new tab has been added to the properties dialog to enable special functionalities e.g.

“Preserve path during region clipping in EXTRACT module”.

The default behaviour of BEAMER in this operation would lead to a truncation of the path and its conversion to a polygon.

With this function enabled, the path is clipped at the region boarder but persevered as a path element. This behaviour can benefit the handling on the Export on systems that address path elements different to polygons.

Preserve path during region clipping

Option disabled



- Path elements are preserved, if not touched by extract region.
- All elements touched by the extract region are converted into polygons

Option enabled



- Path elements are preserved

BEAMER 7.4

BEAMER 7.4

- Protected flow – read only
- Extend field placement options in fields module
- Improve help

BEAMER

BEAMER 7.4 release June 2025



Thank You!

support@genisys-gmbh.com

Headquarters
GenISys GmbH
Inselkammerstr. 5
D-82008 Unterhaching (Munich)
GERMANY
+49 (0)89 954 5364 0
+49 (0)89 954 5364 99
info@genisys-gmbh.com

USA Office
GenISys Inc.
P.O. Box 410956
San Francisco, CA
94141-0956
USA
+1 (408) 353 3951
usa@genisys-gmbh.com

Japan / Asia Pacific Office
GenISys K.K.
German Industry Park
1-18-2 Hakusan Midori-ku
Yokohama 226-0006
JAPAN
+81 (45) 530 3306
+81 (45) 532 6933
apsales@genisys-gmbh.com